# SAFETY DATA SHEET



**MOBIL 1 RACING 2T** 

### **Section 1. Identification**

**Product name** : MOBIL 1 RACING 2T

**Product description** : synthetic base stocks and additives

Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : Two cycle engine oil

**Uses advised against** : This product is not recommended for any industrial, professional or consumer use

other than the Identified Uses above.

Supplier : AMPOL AUSTRALIA PETROLEUM PTY LTD

> ABN 17 000 032 128 29-33 Bourke Rd

Alexandria

New South Wales 2015 Australia

24 Hour Emergency

**Telephone** 

: +61 2 9037 2994/1800 862 115 (CHEMTREC)

**Product Technical** 

Information

: 1300364169

**Supplier General Contact** : +612 9250-5000 **FAX** : +612 9250-5742

**SDS Internet Address** : www.sds.exxonmobil.com

## Section 2. Hazard(s) identification

Classification of the substance or mixture : FLAMMABLE LIQUIDS - Category 4

**GHS** label elements

Signal word : WARNING

**Hazard statements** : H227 - Combustible liquid.

**Precautionary statements** 

**Prevention** : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P280 - Wear protective gloves, protective clothing, eye protection, face protection,

or hearing protection.

: P370 + P378 - In case of fire: Use water fog, foam, dry chemical or carbon dioxide Response

(CO2) to extinguish flames.

: P403 - Store in a well-ventilated place. **Storage** 

**Disposal** : P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

**Contains** : distillates (petroleum), hydro- treated light and distillates (petroleum), hydrotreated

heavy paraffinic

Other hazards which do not result in classification

: None known.

Nota : This material should not be used for any other purpose than the intended use in

Section 1 without expert advice. Health studies have shown that chemical exposure may cause potential human health risks which may vary from person to person.

Date of issue/Date of revision: 1/10 27 December 2022 Date of previous issue: 7 December 2022 Version:

## Section 3. Composition and ingredient information

Substance/mixture : Mixture

| Ingredient name                                        | % (w/w)   | CAS number |
|--------------------------------------------------------|-----------|------------|
| distillates (petroleum), hydro- treated light          | ≥10 - ≤30 | 64742-47-8 |
| distillates (petroleum), hydrotreated heavy paraffinic | ≤5        | 64742-54-7 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First-aid measures

#### **Description of necessary first aid measures**

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention if irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen

tight clothing such as a collar, tie, belt or waistband.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur. Wash clothing before reuse.

Clean shoes thoroughly before reuse.

**Ingestion**: Wash out mouth with water. Remove dentures if any. If material has been

swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such

as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training.

#### See toxicological information (Section 11)

Date of issue/Date of revision: 27 December 2022 Date of previous issue: 7 December 2022 Version: 2 2/10

# Section 5. Firefighting measures

#### **Extinguishing media**

Suitable extinguishing media

: Use dry chemical, CO2, water spray (fog) or foam.

Unsuitable extinguishing media

: Do not use water jet.

Specific hazards arising from the chemical

: Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Hazardous combustion products

: Aldehydes, Incomplete combustion products, Oxides of carbon, Smoke, Fume, sulfur oxides

Special protective actions for fire-fighters

: Use standard firefighting procedures and consider the hazards of other involved materials. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Assure an extended cooling down period to prevent re-ignition. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### **NOTIFICATION PROCEDURES**

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and material for containment and cleaning up

**Small spill** 

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants. Warn other

Date of issue/Date of revision: 27 December 2022 Date of previous issue: 7 December 2022 Version: 2 3/10

# Section 6. Accidental release measures

shipping. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Water spill and land spill recommendations are based on the most likely spill scenario for this material; however, geographic conditions, wind, temperature, (and in the case of a water spill) wave and current direction and speed may greatly influence the appropriate action to be taken. For this reason, local experts should be consulted. Note: Local regulations may prescribe or limit action to be taken.

### Section 7. Handling and storage

#### **Precautions for safe handling**

#### **Protective measures**

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

# Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### **Static Accumulator**

: This material is a static accumulator. A liquid is typically considered a nonconductive, static accumulator if its conductivity is below 100 pS/m (100x10E-12 Siemens per meter) and is considered a semiconductive, static accumulator if its conductivity is below 10,000 pS/m. Whether a liquid is nonconductive or semiconductive, the precautions are the same. A number of factors, for example liquid temperature, presence of contaminants, anti-static additives and filtration can greatly influence the conductivity of a liquid.

# Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls and personal protection

#### **Control parameters**

#### Occupational exposure limits

| Ingredient name                                        | Exposure limits                                                                                                                                                 |
|--------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MOBIL 1 RACING 2T                                      | ExxonMobil (Company).  TWA: 165 ppm 8 hours. Form: Vapour and aerosol.  TWA: 1200 mg/m³ 8 hours. Form: Vapour and aerosol.                                      |
| distillates (petroleum), hydro- treated light          | ACGIH TLV (United States, 1/2022). Absorbed through skin. TWA: 200 mg/m³, (as total hydrocarbon vapor) 8 hours.                                                 |
| distillates (petroleum), hydrotreated heavy paraffinic | Safe Work Australia (Australia, 12/2019).  TWA: 5 mg/m³ 8 hours. Form: Mist  ACGIH TLV (United States, 1/2022).  TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction |

NOTE: Limits/standards shown for guidance only. Follow applicable regulations.

Date of issue/Date of revision: 27 December 2022 Date of previous issue: 7 December 2022 Version: 2 4/10

## Section 8. Exposure controls and personal protection

When mists/aerosols can occur the following is recommended: 5 mg/m³ - ACGIH TLV (inhalable fraction).

# Appropriate engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

# **Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

#### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

#### **Body protection**

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### **Respiratory protection**

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties and safety characteristics

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Contact the Supplier for additional information.

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### **Appearance**

Physical state : Liquid.
Colour : Amber

Odour threshold : Characteristic
Odour threshold : Not available.

PH : Not applicable.

Melting point/freezing point : Not available.

Date of issue/Date of revision: 27 December 2022 Date of previous issue: 7 December 2022 Version: 2 5/10

# Section 9. Physical and chemical properties and safety characteristics

**Boiling point, initial boiling** 

point, and boiling range

: >315.56°C (>600°F)

Flash point : Closed cup: >70°C (>158°F) [ASTM D-93]

**Evaporation rate** : Not available.

**Flammability** : Flammable liquids - Category 4

Lower and upper explosion limit/flammability limit

: Not available.

Vapour pressure : <1 mm Hg [20 °C] [No Test Method]

Relative vapour density : Not available.

Relative density : 0.884 Solubility in water : Negligible Partition coefficient: n->3.5

octanol/water

: Not available. **Auto-ignition temperature** 

**Decomposition temperature** : Not available. **Viscosity** : 83 cSt [40 °C] [ASTM D 445]

**Particle characteristics** 

Median particle size : Not applicable. **Pour point** : -33.15°C

# Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product or its ingredients.

12.7 cSt [100 °C] [ASTM D 445]

**Chemical stability** : The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld,

braze, solder, drill, grind or expose containers to heat or sources of ignition.

**Incompatible materials** : Reactive or incompatible with the following materials:,oxidising materials,Strong

oxidisers

**Hazardous decomposition** 

products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **Section 11. Toxicological information**

#### Information on toxicological effects

**Acute toxicity** 

Conclusion/Summary

Inhalation : Minimally Toxic. No end point data for material. Based on assessment of the

components.

**Dermal** Minimally Toxic. No end point data for material. Based on assessment of the

components.

: Minimally Toxic. No end point data for material. Based on assessment of the **Oral** 

components.

**Irritation/Corrosion** Conclusion/Summary

6/10 Date of issue/Date of revision: 27 December 2022 Date of previous issue: 7 December 2022 Version: 2

# Section 11. Toxicological information

Skir

: Negligible irritation to skin at ambient temperatures. No end point data for material. Based on assessment of the components.

**Eyes** 

: May cause mild, short-lasting discomfort to eyes. No end point data for material. Based on assessment of the components.

#### Respiratory

: Negligible hazard at ambient/normal handling temperatures. No end point data for material. Elevated temperatures or mechanical action may form vapours, mist, or fumes which may be irritating to the eyes, nose, throat, or lungs.

#### **Sensitisation**

#### **Conclusion/Summary**

Skin

: Not expected to be a skin sensitizer. No end point data for material. Based on assessment of the components.

#### Respiratory

<u>Mutagenicity</u>

**Conclusion/Summary** 

: Not expected to be a respiratory sensitizer. No end point data for material.

: Not expected to be a germ cell mutagen. No end point data for material. Based on assessment of the components.

#### Carcinogenicity

**Conclusion/Summary** 

: Not expected to cause cancer. No end point data for material. Based on assessment of the components.

#### Reproductive toxicity

**Conclusion/Summary** 

: Not expected to be a reproductive toxicant. No end point data for material. Based on assessment of the components.

#### Specific target organ toxicity (single exposure)

Conclusion/Summary

: Not expected to cause organ damage from a single exposure. No end point data for material.

#### Specific target organ toxicity (repeated exposure)

**Conclusion/Summary** 

: Not expected to cause organ damage from prolonged or repeated exposure. No end point data for material. Based on assessment of the components.

#### **Aspiration hazard**

**Conclusion/Summary** 

: Not expected to be an aspiration hazard. Based on physico-chemical properties of the material. Data available.

#### Other information

**Contains** 

: Tetrapropenyl phenol (TPP). TPP was tested in a rat oral gavage one-generation reproductive toxicity study and a rat dietary two-generation reproductive toxicity study. Results from the one-generation study included reduced ovary weights and changes in male reproductive accessory organs. Results from the two-generation study included prolonged estrous cyclicity, reduced ovary weights, accelerated sexual maturation, decreased mean live litter size, decreased fertility rates, hypospermia, and reduced weights of male reproductive accessory organs. A classification threshold for reproductive effects of 1.5 wt% TPP was derived by the supplier based on the NOAEL (15 mg/kg/day) from the rat dietary two-generation study and was confirmed in supporting studies with other substances containing TPP as an impurity. Synthetic base oils: Not expected to cause significant health effects under conditions of normal use, based on laboratory studies with the same or similar materials. Not mutagenic or genotoxic. Not sensitising in test animals and humans.

#### **Product**

: Vapour/aerosol concentrations above recommended exposure levels are irritating to the eyes and respiratory tract, may cause headaches, dizziness, anaesthesia, drowsiness, unconsciousness and other central nervous system effects including death.

Date of issue/Date of revision: 27 December 2022 Date of previous issue: 7 December 2022 Version: 2 7/10

## **Section 12. Ecological information**

The information given is based on data for the material, components of the material, or for similar materials, through the application of bridging principals.

#### **Toxicity**

#### **Conclusion/Summary**

**Acute toxicity**: Not expected to be harmful to aquatic organisms.

Chronic toxicity : Not expected to demonstrate chronic toxicity to aquatic organisms

#### Persistence and degradability

Biodegradability: Hydrocarbon component -- Expected to be readily biodegradable. Majority of

components -- Expected to be inherently biodegradable

**Atmospheric Oxidation**: More volatile component -- Expected to degrade rapidly in air

#### **Bioaccumulative potential**

Not determined.

#### **Mobility in soil**

**Mobility** 

: High molecular wt. component -- Expected to partition to sediment and wastewater solids. Low solubility and floats and is expected to migrate from water to the land. More volatile component -- Highly volatile, will partition rapidly to air. Not expected to partition to sediment and wastewater solids.

#### Other ecological information

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

#### **Disposal methods**

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **Section 14. Transport information**

|                            | ADG            | IMDG           | IATA           |
|----------------------------|----------------|----------------|----------------|
| UN number                  | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name    | -              | -              | -              |
| Transport hazard class(es) | -              | -              | -              |
| Packing group              | -              | -              | -              |
| Environmental hazards      | No.            | No.            | No.            |

Date of issue/Date of revision: 27 December 2022 Date of previous issue: 7 December 2022 Version: 2 8/10

# **Section 14. Transport information**

Special precautions for user

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk** according to IMO instruments

: Not available.

### Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

Not regulated.

**Inventory list** 

**Australia inventory (AIIC)** : All components are listed or exempted. Canada inventory (DSL-NDSL) : All components are listed or exempted. China inventory (IECSC) All components are listed or exempted. Japan inventory (CSCL) All components are listed or exempted. Japan inventory (ISHL) : At least one component is not listed. **New Zealand Inventory of Chemicals** All components are listed or exempted.

(NZIoC)

**Philippines inventory (PICCS)** : All components are listed or exempted. Korea inventory (KECI) All components are listed or exempted. **Taiwan Chemical Substances Inventory** : All components are listed or exempted.

(TCSI)

**United States inventory (TSCA 8b)** 

All components are active or exempted.

# Section 16. Any other relevant information

**History** 

Date of issue/Date of

revision

: 27 December 2022

**Date of previous issue** 

: 7 December 2022

**Version** 

: 2

Key to abbreviations

: ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available SGG = Segregation Group

SUSMP = Standard Uniform Schedule of Medicine and Poisons

UN = United Nations

#### Procedure used to derive the classification

| Classification                 | Justification         |
|--------------------------------|-----------------------|
| FLAMMABLE LIQUIDS - Category 4 | On basis of test data |

References : Not available.

Indicates information that has changed from previously issued version.

Date of issue/Date of revision: 9/10 27 December 2022 Date of previous issue: 7 December 2022 Version: 2

MOBIL 1 RACING 2T

# Section 16. Any other relevant information

DOC ID : 201515101010\_1154029

#### **Notice to reader**

"The information and recommendations contained herein are, to the best of ExxonMobil's knowledge and belief, accurate and reliable as of the date issued. You can contact ExxonMobil to insure that this document is the most current available from ExxonMobil. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted. The term, ""ExxonMobil" is used for convenience, and may include any one or more of ExxonMobil Chemical Company, Exxon Mobil Corporation, or any affiliates in which they directly or indirectly hold any interest."

Copyright 2002 ExxonMobil Corporation, All rights reserved

Date of issue/Date of revision: 27 December 2022 Date of previous issue: 7 December 2022 Version: 2 10/10